



# User Guide

Kasa Smart Wi-Fi Plug Mini  
EP10

# Contents

About This Guide .....	1
Introduction .....	2
Appearance .....	3
Set Up Your Smart Wi-Fi Plug Mini .....	4
Simple to Set up and Use with Alexa .....	5
Main Device Controls .....	6
Configure Your Smart Wi-Fi Plug Mini .....	7
Create Scenes.....	12
Smart Actions.....	14
Discover Kasa.....	25
Authentication.....	26

# About This Guide

This guide provides a brief introduction to Kasa Smart Wi-Fi Plug Mini and the Kasa Smart app, as well as regulatory information.

Please note that features of Kasa Smart Wi-Fi Plug Mini may vary slightly depending on the model and software version you have, and on your location, language and internet service provider. All images, steps, and descriptions in this guide are only examples and may not reflect your actual experience.

## Conventions

In this guide, the following convention is used:

Convention	Description
Teal	Key information appears in teal, including management page text such as menus, items, buttons and so on.
<u>Underline</u>	Hyperlinks are in teal and underlined. You can click to redirect to a website.

## More Info

- Operating temperature, storage temperature, and other specifications can be found on the product page at <https://www.tp-link.com>.
- Our Technical Support and troubleshooting information can be found at <https://www.tp-link.com/support/>.
- A TP-Link Community is provided for you to discuss our products at <https://community.tp-link.com>.

# Introduction

Kasa Smart Wi-Fi Plug Mini is a compact home device that turns your typical electrical wall outlet into a controllable, customizable and multi-functional outlet, enabling you to easily control your lights and household electronic devices via Kasa Smart app on your iOS or Android devices, no matter where you find yourself.



Control from Anywhere



Compact Design



No Hub Required



Home Automation



Schedule and Timer



Away Mode

- **Control from Anywhere**- Manages plugged-in electronics from anywhere with the Kasa Smart app.
- **Compact Design**- Allows two plugs to be stacked in the same outlet.
- **No Hub Required**- Connects to your home's Wi-Fi network. No need for a hub or extra equipment.
- **Home Automation**- Set multiple schedules, create scenes and groups, and simulate occupancy while away with away mode.
- **Schedule and Timer**- Preset a schedule to automatically manage devices and create countdown timer lists for connected electronics.
- **Away Mode**- Automatically turns devices on and off at different times to give the appearance that someone is home.

## Supported Load Types:

Heater:  $\leq 1500$  W

Toaster:  $\leq 850$  W

Humidifier:  $\leq 260$  W


Tower Fan:  $\leq 50$  W

Iron:  $\leq 1500$  W

# Appearance

Smart Wi-Fi Plug Mini has a control button to turn on/off devices plugged in: It is super easy to use.

\*EP10 (US version) is used for demonstration in this guide.



Blinking orange & blue: Ready to be set up.  
Solid blue: Setup is completed.



Press to turn the socket ON or OFF.  
Press for 5s to reset Wi-Fi connection.  
Press for 10s to restore to factory default settings.

# Set Up Your Smart Wi-Fi Plug Mini

Follow the steps below to set up your smart plug via [Kasa Smart](#) app.

## 1. Install Kasa Smart app

Get the [Kasa Smart](#) app from Google Play or the Apple App Store, or scan the QR code below to download it.




OR





## 2. Log in or sign up with TP-Link ID

Open the [Kasa Smart](#) app and log in with your TP-Link ID. If you don't have an account, create one first.




## 3. Add Device

Tap the  button in the Kasa Smart app, select [Device](#) > [Smart Plugs](#) > [Smart Plug Mini](#) and then follow step-by-step app instructions to complete the setup.



# Simple to Set up and Use with Alexa

Setup is faster than ever before with Alexa. Use your Echo device to set up the plug via voice command.




1

Once you've set up your Echo device, plug in your TP-Link smart plug. If Alexa or the Alexa app says "New plug found," go straight to step 3.



2

In the Kasa app, click the '+' icon and then follow the step-by-step instructions to set up your smart plug and link your TP-Link account to Amazon.




3

To use your device with Alexa, just say "Alexa, turn on First Plug."


# Main Device Controls

After you successfully set up your smart plug, you will see the home page of the Kasa Smart app. Here you can view and manage all devices that you've added to Kasa. Tap a smart plug to control and manage it.

## Home Page



## Device Status






# Configure Your Smart Wi-Fi Plug Mini


## Set Schedule

You can set schedules for your smart plug to turn on/off automatically to simplify your daily routine.


1. Tap  on the Device Status Page.



2. Tap the + icon and select the time and frequency for your smart plug to turn on or off automatically.




3. You can also choose to turn your plug on or off at Sunrise or Sunset, which is based on the your location.




## Set Away Mode

You can set Away Mode for your smart plug to turn on/off automatically at random intervals while you are away to make the appearance that someone is at home.

1. Tap  on the Device Status page.




2. Set the time period during which your smart plug will turn on/off automatically and select the repeating frequency.




## Set Timer

Set the countdown timer and your smart plug will automatically be turned on/off after the time ends.

1. Tap  on the Device Status page.




2. Set the time period after which your smart plug will turn on or off automatically.




## Check Usage

You can view and track energy consumption of your smart plug.

1. Tap  on the Device Status page.




2. Check the runtime of your smart plug.




## Change Device Settings

You can change the device name and check device information in [Device Settings](#).

1. Tap  in the Device Status page.




2. You can view [Device Info](#) and change the name of your smart plug.



# Create Scenes


A scene is a preset group of smart devices that can be programmed, customized and activated simultaneously at the touch of a button from your smartphone or tablet, allowing you to easily set your mood, activity or fit any special occasion. This page allows you to preset how your smart home devices should act automatically at special occasions.

1. Tap  at the bottom, then tap + at the top right corner.




2. Select a scene or create your own scene.


For example: I want to turn off Air Cleanser light and turn on Fan simultaneously with just a tap in the Kasa Smart app .




3. Select devices for the scene to work on and set their status respectively.




4. Pick an icon for your scene.



5. Name your scene.




6. Your scene is created and is displayed in the scene list. Just tap the scene to activate it.





# Smart Actions

Smart Actions is a function provided that enables device interconnections and home automations. With Smart Actions, your Kasa devices can work together to create a smarter smart home. From the moment you wake up to the moment you drift asleep, Smart Actions make your home safer and more comfortable.

1. Tap  at the bottom, then tap **Add an Action**.

2. Select an automation type for your Smart Actions.



**Motion Sensing:** Take actions when a Kasa camera senses a motion.

**Control With a Switch:** Extending the Smart Switch control to other Kasa Smart devices. Turn on/off a group of devices with the Smart Switch all together.

**Schedule a Scene:** Schedule a "Scene" to be turned on automatically at the time specified.

**Auto-off Timer:** Whenever a Smart device is turned on, turn it off after the designated amount of time.






## 1. Configure Motion Sensing If you already have a Kasa Smart Camera

e.g.: I want to turn the living room light on when my Kasa camera senses a motion.


1. Tap **Motion Sensing** then select a camera.

2. Select the outlet of your Smart Power Strip which your living room light is plugged in.






3. Set the time when you want to be notified. You can choose [Always](#) or tap [Custom](#) to choose time according to your needs.

For example: I want the motion to trigger the light on from 11:00 PM to 7:00 AM every day.



4. (Optional) Set an auto-off timer then tap **Complete**. Then your living room light will be turned off after the time you set.

5. Name your action for easy identification.



6. The Smart Action is created successfully and displayed in the Smart Actions list.






## 2. Configure Control With a Switch If you already have a Kasa Smart Switch

e.g.: I want to turn the living room light on when I turn on my switch, and turn the light off when I turn off the switch.




1. Tap [Control With a Switch](#).

2. Add a Kasa smart switch. Then select the outlet of your Smart Power Strip which your living room light is plugged in.



3. Name your action for easy identification.

4. Now Your Smart Action is created successfully.






### 3. Configure Schedule a Scene

e.g.: I want to turn on the scene I have created automatically at scheduled time.


1. Tap [Schedule a Scene](#) then select a scene you have created.

For example: I want to turn on my [Good Morning](#) scene, which turns on my bedroom and kitchen light with just a tap, at 7: 20 AM every weekday.


2. Set the time and frequency at which you want your scene to be turned on .



3. Name your action for easy identification.



4. The Smart Action is created successfully and displayed in the Smart Actions list.








## 4. Configure Auto-Off Timer


e.g.: I want to turn off my air cleaner is plugged in after 30 minutes whenever it is turn on.

1. Tap [Auto-Off Timer](#) then select a device.


2. Set the time.



3. Name your action for easy identification.




4. The Smart Action is created successfully and displayed in the Smart Actions list.



# Discover Kasa

Use the Kasa Smart app to pair your Smart Wi-Fi Power Strip with Amazon Alexa or Google Home Assistant, and enjoy a full hands-free experience. Kasa helps manage the rest of your smart home too, working with Samsung SmartThings to trigger changes when you arrive home or leave for the day.

Launch the **Kasa Smart** app. Go to the sidebar and tap Work with Kasa. You can choose **Amazon Alexa** / **Google Assistant**/ **IFTTT** / **Samsung SmartThings** for detailed instructions.



# Authentication

## FCC compliance information statement



**Product Name:** Kasa Smart Wi-Fi Plug Mini

**Model Number:** EP10

**Responsible party:**

**TP-Link USA Corporation**

**Address:** 10 Mauchly, Irvine, CA 92618

**Website:** <http://www.tp-link.com/us/>

**Tel:** +1 626 333 0234

**Fax:** +1 909 527 6803

**E-mail:** [sales.usa@tp-link.com](mailto:sales.usa@tp-link.com)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

### **FCC RF Radiation Exposure Statement**

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.

"To comply with FCC RF exposure compliance requirements, this grant is applicable to only Mobile Configurations. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter."

We, **TP-Link USA Corporation**, has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15. There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2024-07-11

## Canadian Compliance Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1) L'appareil ne doit pas produire de brouillage;

2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

## Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

## Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

## Industry Canada Statement

CAN ICES-3 (B)/NMB-3(B)

## Korea Warning Statements

당해 무선설비는 운용중 전파혼신 가능성이 있음.

## NCC Notice

注意！

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使

用。

前述合法通信，指依電信管理法規定作業之無線電通信。

低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

## BSMI Notice

### 安全諮詢及注意事項

- 請按照本產品注明的電源類型使用本產品。
- 清潔本產品之前請先切斷電源。請勿使用液體、噴霧清潔劑或濕布進行清潔。
- 注意防潮，請勿將水或其他液體潑灑到本產品上。
- 插槽與開口供通風使用，以確保本產品的操作可靠並防止過熱，請勿堵塞或覆蓋開口。
- 請勿將本產品置放於靠近熱源的地方。除非有正常的通風，否則不可放在密閉位置中。
- 不要私自拆開機殼或自行維修，如產品有故障請與原廠或代理商聯繫。

### 限用物質含有情況標示聲明書

設備名稱：Kasa Smart Wi-Fi Plug Mini Equipment name			型號（型式）：EP10 Type designation (Type)			
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr+6)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
PCB	○	○	○	○	○	○
外殼	○	○	○	○	○	○
電源供應板	—	○	○	○	○	○
其他及其配件	—	○	○	○	○	○

備考 1. “超出 0.1 wt %” 及 “超出 0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值。  
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.  
備考 2. “○” 系指該項限用物質之百分比含量未超出百分比含量基準值。  
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.  
備考 3. “—” 系指該項限用物質為排除項目。  
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.

## Safety Information

- Purpose of control: Operating Control
- Construction of control: Direct Plug In Type
- Type 1.B Action
- Pollution Degree: 2
- Impulse Voltage: 1500 V
- Operating ambient temperature
- Keep this instruction manual (suggestion)
- Degree of enclosure - Type 1 Enclosure
- This product is for indoor device intended for unheated/unoccupied spaces such as garages
- Information required in Marking section but not provided on the device due to limited space
- Keep the device away from water, fire, humidity or hot environments.
- Do not attempt to disassemble, repair, or modify the device.
- Do not use the device where wireless devices are not allowed.
- The socket-outlet shall be installed near the equipment and shall be easily accessible.
- For passthrough devices, plug the power strips into the integrated electrical sockets of the devices, but devices of the same or another type not be stacked in normal use.
- Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.





### CAUTION

**Electronic switch integrated in this product is only intended for functional purposes.  
Unplug the appliance before servicing.**

- **Supported load types**

Coffee Maker:  $\leq 800$  W

Heater:  $\leq 1500$  W

Toaster:  $\leq 850$  W Tower

Desk Lamp:  $\leq 235.2$  W

Humidifier:  $\leq 260$  W

Fan:  $\leq 50$  W

LCD:  $\leq 270$  W

Iron:  $\leq 1500$  W













**Operating Temperature:** 0 °C ~ 40 °C (32°F ~ 104°F)






**Storage Temperature:** -40 °C ~ 70 °C (-40°F ~ 158°F)

### Explanation of the symbols on the product label

Symbols may vary from products

Symbol	Explanation
	Class II equipment
	Class II equipment with functional earthing
	Alternating current
	DC voltage
	Polarity of output terminals
	Indoor use only

Symbol	Explanation
	Dangerous voltage
	Caution, risk of electric shock
	Energy efficiency Marking
	Protective earth
	Earth
	Frame or chassis
	Functional earthing
	Caution, hot surface
	Caution
	Operator's manual
	Stand-by
	"ON"/"OFF" (push-push)

Symbol	Explanation
	Fuse
	Fuse is used in neutral N
	<p>RECYCLING</p> <p>This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment.</p> <p>User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.</p>
	Caution, avoid listening at high volume levels for long periods
	Disconnection, all power plugs
m	Switch of mini-gap construction
μ	<p>Switch of micro-gap construction (for US version)</p> <p>Switch of micro-gap / micro-disconnection construction (for other versions except US)</p>
ε	Switch without contact gap (Semiconductor switching device)